




1.5" Metallic Model (AOD 400 ATT)



Max Flow rate :	270 LPM
Port Size :	Inlet : 38.10mm (1.5" BSP) Discharge : 38.10mm (1.5" BSP) Air Inlet : 1/2" BSP Air Exhaust : 12.70mm (1/2 " BSP)
Suction Lift :	Dry : 4.57m (15') Wet : 7.62m (25')
Teflon :	Dry : 3.05m (10') Wet : 6.09m (20')
Max Particle Size :	4.76mm (0.188")
Weight :	25-30 Kg
Max Discharge Head :	60 meter





Sr No.	PART NAME	M.O.C.	Qty.	Sr No.	PART NAME	M.O.C.	Qty.
1	Shaft Block	GFPP	01	23	Exhaust Ring	PP	01
2	Main Shaft 'O' Ring	Neoprene	04	24	CirClip	SS-304	01
3	Air-Cover Gasket	Neoprene	02	25	NRV Ball	PTFE	04
4	Air-Cover	Aluminium	02	26	Seat Ring	Teflon	04
5	Main Shaft	SS-304	01	27	Ball Seat	Aluminium	04
6	Holding Plate	Aluminium	02	28	Suction Line	Aluminium	01
7	Back Up	Santoprene	02	29	Discharge Line	Aluminium	01
8	Diaphragm	Teflon	02	30	Pilot Bush Oring	Neoprene	04
9	Lock-Nut	Aluminium	02	31	Pilot Bush	Brass	01
10	Liquid Chamber	Aluminium	02	32	Pilot Shaft	SS-304	01
11	Piston Block	PP	01	33	Pilot Shaft O Ring	Hytrek	04
12	Piston	PVC	01	34	Pilot Shaft lock oring	Neoprene	02
13	Piston O Ring(Small)	Neoprene	04	35	Mounting Pad	Rubber	04
14	Piston Ring(Small)	PTFE(bronze)	04	36	Liquid Chamber Lock bolt & Nut 3/8"X2"	SS-304	20
15	Piston O Ring(Big)	Neoprene	01	37	Suction & Discharge Line Lockbolt & Nut 5/16"X 1 1/2"	SS-304	16
16	Piston Ring(Big)	PTFE(bronze)	01	38	Air Assembly Lock Bolt & Nut 3/8" x 1"	SS-304	08
17	Piston Block Cap Oring	Neoprene	01	39	Piston Block Allen Bolt 1/4" x 4 1/4"	MS	04
18	Piston Block Cap	PP	01				
19	Piston Block Gasket	Neoprene	01				
20	Piston Block Cover Gasket	Neoprene	01				
21	Piston Block Cover	PP	01				
22	Exhaust	PP	01				